

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1931	monitor\$5 SAME disk\$5 SAME space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:00
L2	5260	(monitor\$5 manag\$5) SAME disk\$5 SAME space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:00
L3	182	L2 AND data\$1set\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:02
L4	182	L3 AND (usage\$2 use\$3 \$3utili\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:05
L5	50	L4 AND IMS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:39
S1	20	(ISAM "indexed sequential access memory") AND (OSAM "overflow sequential access memory")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 18:06
S2	20	ISAM AND (OSAM "overflow sequential access memory")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 18:38
S3	5	hierarchical ADJ database AND (OSAM "overflow sequential access memory") AND (free available) NEAR5 (memory storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 23:25

S4	8	(OSAM "overflow sequential access memory") SAME file\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 23:25
S5	8	(OSAM "overflow sequential access method") SAME file\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 23:25
S6	5	hierarchical ADJ database AND (OSAM "overflow sequential access method") AND (free available) NEAR5 (memory storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:41
S7	1247	database SAME multiple SAME storage SAME disks	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:43
S8	701	S7 AND monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:45
S9	296	S8 AND allocat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:46
S10	44	S9 AND error SAME detect\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:46
S11	0	S10 AND ISM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:48

S12	40	S10 AND utiliz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 00:51
S13	30	S12 AND @AD<"20011129"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 01:02
S16	8603	monitor\$5 SAME (storage memory) SAME space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 01:04
S17	4606	monitor\$5 SAME storage SAME space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 07:59
S18	318	monitor\$5 SAME volum\$3 SAME storage SAME space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 01:05
S19	25	S18 AND IMS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 01:06